



Design and Evaluation of a Mobile-Based Application for Self-Care in Patients with Diabetic Retinopathy

Seyede Maryam Bazrmanesh¹, Hossein Valizadeh Laktarashi², Sadegh Sharafi³, Zainab Naseri⁴, Mohammad Naeim Mirzazadeh⁵, Farshid Mohammad Mousaei^{6*}

¹Student Research Committee, Abadan University of Medical Sciences, Abadan, Iran

²Medical Informatics, School of Paramedical, Shahid Beheshti University of Medical Sciences, Tehran, Iran

³Health Information Technology Expert, Abadan University of Medical Sciences, Abadan, Iran

⁴Student Research Committee, Ahvaz Jundishapur University of Medical Sciences, Ahvaz, Iran

⁵Health Professions Education Research Center, Tehran University of Medical Sciences, Tehran, Iran

⁶Department of Health Information Technology, Abadan University of Medical Sciences, Abadan, Iran

OPEN ACCESS

*Corresponding Author:

Department of Health
Information Technology,
Abadan University of Medical
Sciences, Abadan, Iran

Citation:

Bazrmanesh SM, Valizadeh Laktarashi H, Sharafi S, Naseri Z, Mirzazadeh MN, Mousaei FM. Design and Evaluation of a Mobile-Based Application for Self-Care in Patients with Diabetic Retinopathy. *Iranian biomedical journal*. Supplementary (12-2024): 251.

ABSTRACT

Introduction: Diabetic retinopathy, a complication of diabetes, is one of the leading causes of blindness among adults. Effective management and self-care are crucial in mitigating its progression. With the rise of mobile health solutions, a mobile-based application tailored for self-care in diabetic retinopathy patients offers a promising approach to enhance patient engagement, monitor health conditions, and improve outcomes. The primary goal of this article in designing a mobile application for diabetic retinopathy self-care is to provide an intuitive, user-friendly platform that addresses the specific needs of patients, features, and evaluation of such an application.

Methods and Materials: This applied study, conducted in 2024, was divided into two main stages: design and evaluation. The functional requirements were initially identified, and then the application's conceptual model was developed using the Visual Paradigm program. The application was subsequently developed utilizing Java programming. In the evaluation phase, the Mobile Application Usability Questionnaire was employed to gather feedback from patients with diabetic retinopathy regarding the application's usability.

Results: The application offers several key features, including reminders, alerts, educational content, valuable links, data storage, a specialist finder, and notifications for diabetic retinopathy events. Usability testing involved 25 users with diabetic retinopathy. The participants generally expressed satisfaction with the application, rating it an average of 5.56 out of 7.4 (± 1.11).

Conclusion and Discussion: The findings of this study indicate that the mobile application developed has the potential to help individuals with diabetic retinopathy manage their condition more effectively by addressing user needs and providing essential services. However, it is recommended that researchers conduct more research in developing applications related to the self-care of eye diseases.

Keywords: Diabetic retinopathy, Mobile applications, Self care

