



# Frequency of Herbal Medicine Use Among Women of Reproductive Age with Polycystic Ovary Syndrome

Maryam Heidari Sarvestani<sup>1\*</sup>, Marzieh Akbarzadeh<sup>2</sup>

<sup>1</sup>Student Research Committee, School of Nursing and Midwifery,  
Isfahan University of Medical Sciences, Isfahan, Iran

<sup>2</sup>Medicine Research Center, Department of Midwifery, School of Nursing  
and Midwifery, Shiraz University of Medical Sciences, Shiraz, Iran

## OPEN ACCESS

### \*Corresponding Author:

Student Research Committee,  
School of Nursing and  
Midwifery, Isfahan University  
of Medical Sciences, Isfahan,  
Iran

### Citation:

Heidari Sarvestani M,  
Akbarzadeh M. Frequency of  
Herbal Medicine Use Among  
Women of Reproductive Age  
with Polycystic Ovary  
Syndrome. *Iranian biomedical  
journal*. Supplementary (12-  
2024): 368.

## ABSTRACT

**Introduction:** Polycystic ovary syndrome (PCO) is the most common endocrine disorder, and its common phenotypes are hirsutism, dysmenorrhea, and oligomenorrhea. Due to the side effects of long-term use and the possible minor effects of various drug treatments, studies on complementary medicine were considered in these patients. Many herbs are used to improve different aspects of PCOS. With this information in mind, we aimed to assess the frequency of herbal medicine use among women of reproductive age with polycystic ovary syndrome.

**Methods and Materials:** In this descriptive study, the consumption of herbal and medical drugs in 80 women of reproductive age with PCOS was completed and investigated through a questionnaire.

**Results:** Results showed that the average age of the patients was  $23.30 \pm 5.73$ . Among 80 patients, 21 individuals (26.3%) used only herbal medicines, 15 (18.8%) employed medical drugs alone, 18 (22.5%) utilized herbal and medical drugs at the same time, and 26 (32.5%) did not use these medications. No pharmaceutical drugs were found. The herbal medicines utilized included *Anethum graveolens*, *Thymus vulgaris*, *Salvia officinalis*, saffron, tea, and chamomile. These herbal medicines were employed by the patients to reduce dysmenorrhoea and increase menstrual flow, and regulate menstrual cycles.

**Conclusion and Discussion:** Different plants can cause beneficial effects in improving different aspects of this syndrome, and considering the high level of willingness to use herbal medicines, its use in these patients can be considered a valuable option. However, more studies are needed to investigate their mechanism and health.

**Keywords:** Complementary therapies, Polycystic ovary syndrome, *Salvia officinalis*