



# Impact of Social Support on Resilience and the Mental Health of the Frontline Healthcare Workers in Shahrekord During the COVID-19 Pandemic in 2021

Mehdi Nakhodaezadeh<sup>1</sup>, Fatemeh Raeesi Dehkordi<sup>2\*</sup>, Sodabeh Zaree<sup>2</sup>

<sup>1</sup>Shahrekord University of Medical Science, Shahrekord, Iran

<sup>2</sup>Health Education And Promotion, Lorestan University of Medical Sciences, Lorestan, Iran

## OPEN ACCESS

### \*Corresponding Author:

Health Education And Promotion, Lorestan University of Medical Sciences, Lorestan, Iran

### Citation:

Nakhodaezadeh M, Raeesi Dehkordi F, Zaree S. Impact of Social Support on Resilience and the Mental Health of the Frontline Healthcare Workers in Shahrekord During the COVID-19 Pandemic in 2021. *Iranian biomedical journal. Supplementary* (12-2024): 388.

## ABSTRACT

**Introduction:** Studying the impact of social support on resilience and mental health among frontline healthcare workers (HCWs) can help us develop psychological intervention strategies for HCWs. This study aimed to evaluate the impact of social support on resilience and the mental health of the frontline HCWs in Shahrekord during the COVID-19 pandemic in 2021.

**Methods and Materials:** A cross-sectional (descriptive-analytical) study was conducted in 2021 on 286 frontline HCWs of Shahrekord University of Medical Science. Sampling was conducted using a random method (random cluster). Demographic questionnaire, general health questionnaire, Connor and Davidson Resilience Questionnaire, and the Norwegian Social Support Questionnaire were used. Research data was analyzed using SPSS-23 statistical software, descriptive statistics, and chi-square, Mann-Whitney, Kruskal-Wallis, and Spearman correlation coefficient tests.

**Results:** Results showed that the mean total score of resilience and general health were  $67.18 \pm 15.42$  and  $25.16 \pm 9.95$ , respectively. Several supporters ( $p = 0.001$ ), marital status ( $p = 0.025$ ), functional support ( $p = 0.012$ ), structural support ( $p = 0.004$ ), and general health ( $p = 0.001$ ) had a significant relationship with resilience. There was a significant association between overall general health and resilience ( $r = 0.25$ ;  $p = 0.001$ ). Also, there was a significantly positive relationship between emotional support ( $r = 0.11$ ;  $p = 0.015$ ) and structural support ( $r = 0.13$ ;  $p = 0.020$ ).

**Conclusion and Discussion:** There is a correlation between resilience and social support and the mental health of frontline HCWs. Health policymakers should pay attention to and respond to the mental health problems of frontline HCWs in the context of public health emergencies. Also, it is recommended that appropriate educational programs be designed and implemented during pandemics and quarantine periods to increase resilience and public health.

**Keywords:** COVID-19, Mental health, Social support

