



DECEMBER 11-12, 2025  
۲۱ و ۲۰ آذر ماه ۱۴۰۴



دومین کنگره  
پلازما پزشکی ایران

The 2<sup>nd</sup> Congress on Plasma Medicine

دبیرخانه دائمی کنگره  
پلازما پزشکی ایران  
www.plasmamedsym.ir



# Cold Atmospheric Plasma Surface Modification of PCL/CMC Scaffold for Cartilage Tissue Engineering

Marjan Mohammadali<sup>1</sup>, Shiva Irani<sup>2</sup>, Seyed Mohammad Atyabi<sup>1</sup>, Fereshteh Sharifi<sup>3\*</sup>

<sup>1</sup>Department of NanoBiotechnology, Pasture Institute of Iran, Tehran, Iran

<sup>2</sup>Department of Biology, SR.C., Islamic Azad University, Tehran, Iran

<sup>3</sup>Department of Biology, CT.C., Islamic Azad University, Tehran, Iran

## OPEN ACCESS

### Citation:

Mohammadali M, Irani S, Atyabi SM, Sharif F. Cold Atmospheric Plasma Surface Modification of PCL/CMC Scaffold for Cartilage Tissue Engineering. *Iran Biomed J. Supplementary* (2-2026): 6.

## ABSTRACT

**Introduction:** Surface modification is a crucial aspect in tissue engineering (TE) applications. This study aimed to use cold atmospheric plasma (CAP) for the surface modification of polycaprolactone (PCL) and carboxymethyl chitosan (CMC), creating a practical scaffold for cartilage TE.

**Materials and Methods:** The morphology and chemical properties of the PCL/CMC scaffolds were evaluated by scanning electron microscopy, contact angle measurements, and Fourier-transform infrared spectroscopy. The biocompatibility of the treated scaffold was assayed on human mesenchymal stem cells (hMSCs) using MTT at 72 hours. The chondrogenic differentiation of hMSCs was studied using *SOX9* and *COL2* gene expression through polymerase chain reaction and by detecting COL2 protein using immunocytochemistry tests.

**Results and Discussion:** Electrospinning of PCL/CMC produced a structure resembling the natural extracellular matrix. CAP treatment improved the surface properties of PCL/CMC, introducing functional groups. Based on the *in vitro* results, PCL/CMC was biocompatible, and specific genes related to chondrogenic differentiation, *SOX9* and *COL2*, were expressed. In addition, the detection of chondrogenic differentiation of hMSCs was confirmed by COL2 protein.

**Conclusion:** PCL polymer exhibits hydrophobic characteristics and has a limited capacity for cellular recognition. The combination of PCL and CMC effectively addresses these limitations. Thus, plasma surface modification could enhance the overall performance of the scaffold.



This article is licensed under a Creative Commons Attribution-NonDerivatives 4.0 International License.

**Keywords:** Chondrogenic differentiation, Cold atmospheric plasma, Surface modification, Tissue engineering

**Corresponding Author:** Fereshteh Sharifi

Department of Biology, CT.C., Islamic Azad University, Tehran, Iran; E-mail: Fer.sharifi.368@iau.ac.ir



Iranian Biomedical Journal Supplementary (February 2026): 6